

ISBT Beverage Grade Carbon Dioxide (CO₂) Analysis Report

Carbo Gas LTDA – Planta Vitória de Santo Antão / PE
Rodovia PE 45 – KM 14 – S/N
Zona Rural – Engenho Cachoeirinha, Brazil
Thais Neves
lab.carbogas@grupojb.com.br

AAL Number: 62723
Received On: 27 Dec 21
Report Date: 06 Jan 22
P.O. Number: Prepay

Sample ID: Vaporized Liquid CO₂ Sample Final Product – Stripper
Received in: Low pressure sampling kit TBK # 5061, SSC # 1067, SBL # 2000


Sample Date: 07 Dec 21
Final Test Date: 05 Jan 22

RESULT	PARAMETER, CHEMICAL FORMULA (UNITS)	DL	METHOD	ISBT GUIDELINE LIMIT
99.99	Carbon Dioxide Purity CO ₂ (% v/v)	5.	ISBT 2.0	99.90% v/v min
nd	Moisture (Water Vapor) H ₂ O (ppm v/v)	1.0	ISBT 3.0	20.0 ppm v/v max
nd	Oxygen O ₂ (ppm v/v)	4.0	ISBT 4.0	30.0 ppm v/v max
nd	Carbon Monoxide CO (ppm v/v)	0.5	ISBT 5.0	10.0 ppm v/v max
nd	Ammonia NH ₃ (ppm v/v)	0.5	ISBT 6.0	2.50 ppm v/v max
nd	Oxides of Nitrogen NO _x (ppm v/v)	0.5	ISBT 7.0	5.0 ppm v/v max
nd	Nitrogen Dioxide NO ₂ (ppm v/v)	0.5	ISBT 7.1	2.50 ppm v/v max
nd	Nitric Oxide NO (ppm v/v)	0.5	ISBT 7.2	2.50 ppm v/v max
nd	Non-volatile Residue NVR (ppm w/w)	1.0	ISBT 8.0	10.0 ppm w/w max
nd	Non-volatile Organic Residue NVOR (ppm w/w)	1.0	ISBT 8.0	5.0 ppm w/w max
nd	Methanol MeOH (ppm v/v)	0.2	ISBT 9.0	10.0 ppm v/v max
3.4	Total Hydrocarbons as Methane THC (ppm v/v as CH ₄)	0.1	ISBT 10.0	50.0 ppm v/v max
3.4	Total Non-Methane Hydrocarbons TNMHC (ppm v/v as CH ₄)	0.1	ISBT 10.1	20.0 ppm v/v max
nd	Acetaldehyde AA (ppm v/v)	0.05	ISBT 11.0	0.20 ppm v/v max
nd	Aromatic Hydrocarbon AHC (ppm v/v)	0.002	ISBT 12.0	0.020 ppm v/v max
nd	Total Sulfur TS (ppm v/v as S)	0.02	ISBT 13.0	0.10 ppm v/v max (excl. SO ₂)
nd	Sulfur Dioxide SO ₂ (ppm v/v)	0.02	ISBT 14.0	1.0 ppm v/v max
Sensory Tests				
PASS	Odor in Water	na	ISBT 16.0	No foreign odor
PASS	Taste in Water	na	ISBT 16.0	No foreign taste
PASS	Appearance in Water	na	ISBT 16.0	No color or turbidity

NOTES: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2019" – 3rd Revision, October 2019. Parameter results above ISBT Guideline Limits reported in **RED**.

DL = test detection limit. **nd** = less than the test detection limit. **na** = value is non-applicable. **sc** = see comments below.
-- = test not performed. **v/v** = volume analyte/volume sample. **w/w** = weight analyte/weight sample.
LT = less than amount specified. **GT** = greater than amount specified.
% = parts per hundred. **ppm** = parts per million. **ppb** = parts per billion.
Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1 µL/L (v/v) or 1 µg/g (w/w)

Comments:


Bruce J. Gollob
CEO, Analytical Services

Attachments:

Full Final Product Carbon Dioxide (CO₂) Analysis Report

Carbo Gas LTDA – Planta Vitória de Santo Antão / PE
Sample ID: Vaporized Liquid CO₂ Sample Final Product – Stripper

AAL Number: 62723
Sample Date: 07 Dec 21

RESULT	PARAMETER, CHEMICAL FORMULA (UNITS)	DL	METHOD	ISBT GUIDELINE LIMIT
99.99	Carbon Dioxide Purity (% v/v)	5.	ISBT 2.0	99.90% v/v min
nd	Non-volatile Residue NVR (ppm w/w)	1.0	ISBT 8.0	10.0 ppm w/w max
nd	Non-volatile Organic Residue NVOR (ppm w/w)	1.0	ISBT 8.0	5.0 ppm w/w max
3.4	Total Hydrocarbons as Methane THC (ppm v/v as CH ₄)	0.1	ISBT 10.0	50.0 ppm v/v max
3.4	Total Non-Methane Hydrocarbons TNMHC (ppm v/v as CH ₄)	0.1	ISBT 10.1	20.0 ppm v/v max
nd	Moisture (Water Vapor) H ₂ O (ppm v/v)	1.0	ISBT 3.0	20.0 ppm v/v max
nd	Carbon Monoxide CO (ppm v/v)	0.5	ISBT 5.0	10.0 ppm v/v max
nd	Ammonia NH ₃ (ppm v/v)	0.5	ISBT 6.0	2.50 ppm v/v max
nd	Oxides of Nitrogen NO _x (ppm v/v)	0.5	ISBT 7.0	5.0 ppm v/v max
nd	Nitrogen Dioxide NO ₂ (ppm v/v)	0.5	ISBT 7.1	2.50 ppm v/v max
nd	Nitric Oxide NO (ppm v/v)	0.5	ISBT 7.2	2.50 ppm v/v max
Source Specific Parameters (ppm v/v)				
nd	Hydrogen Cyanide HCN	0.5	ISBT 17.0	Not detectable by method
nd	Vinyl Chloride C ₂ H ₃ Cl	0.1	ISBT 18.0	Not detectable by method
nd	Phosphine PH ₃	0.1	ISBT 19.0	0.30 ppm v/v max
nd	Ethylene Oxide C ₂ H ₄ O	0.1	ISBT 20.0	0.20 ppm v/v max
Non-Condensable Gases (NCG, ppm v/v)				
nd	Nitrogen N ₂	4.0	ISBT 4.0	na
nd	Oxygen O ₂	4.0	ISBT 4.0	30.0 ppm v/v max
nd	Argon Ar	4.0	ISBT 4.0	na
nd	Hydrogen H ₂	10.0	ISBT 4.0	na
nd	Helium He	10.0	ISBT 4.0	na
Volatile Hydrocarbons (VHC, ppm v/v)				
nd	Methane	0.5	ISBT 10.1	na
nd	Ethylene	0.5	ISBT 10.1	na
nd	Ethane	0.5	ISBT 10.1	na
nd	Propylene	0.5	ISBT 10.1	na
nd	Propane	0.5	ISBT 10.1	na
nd	Isobutane	0.5	ISBT 10.1	na
nd	n-Butane	0.5	ISBT 10.1	na
nd	Butenes	0.5	ISBT 10.1	na
nd	Isopentane	0.5	ISBT 10.1	na
nd	n-Pentane	0.5	ISBT 10.1	na
nd	Pentenes	0.5	ISBT 10.1	na
nd	C ₆ +	0.5	ISBT 10.1	na
Aromatic Hydrocarbons (BTEX, ppm v/v)				
nd	Benzene AHC	0.002	ISBT 12.0	0.020 ppm v/v max
nd	Toluene	0.002	ISBT 12.0	na
nd	Ethyl Benzene	0.002	ISBT 12.0	na
nd	m+p Xylene	0.002	ISBT 12.0	na
nd	o-Xylene	0.002	ISBT 12.0	na

NOTES: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2019" – 3rd Revision, October 2019. Parameter results above ISBT Guideline Limits reported in **RED**.

DL = test detection limit. nd = less than the test detection limit. na = value is non-applicable. sc = see comments below.

-- = test not performed. v/v = volume analyte/volume sample. w/w = weight analyte/weight sample.

LT = less than amount specified. GT = greater than amount specified.

% = parts per hundred. ppm = parts per million. ppb = parts per billion.

Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1 µL/L (v/v) or 1 µg/g (w/w)

Comments:




Atlantic Analytical Laboratory, LLC

Mailing address: PO Box 220 • Whitehouse, NJ 08888

Shipping address: 291 Rte 22 East • Salem Industrial Park Building #2 • Lebanon, NJ 08833

(908) 534-5600 • www.AtlanticAnalytical.com



RESULT	<u>Volatile Sulfur Compounds (VSC. ppm v/v)</u>		<u>DL</u>	<u>METHOD</u>	<u>ISBT GUIDELINE LIMIT</u>
nd	Hydrogen Sulfide	H ₂ S	0.02	ISBT 14.0	na
nd	Carbonyl Sulfide	COS	0.02	ISBT 14.0	na
nd	Sulfur Dioxide	SO ₂	0.02	ISBT 14.0	1.0 ppm v/v max
nd	Methyl Mercaptan		0.02	ISBT 14.0	na
nd	Ethyl Mercaptan		0.02	ISBT 14.0	na
nd	Dimethyl Sulfide		0.02	ISBT 14.0	na
nd	Carbon Disulfide		0.02	ISBT 14.0	na
nd	i-Propyl Mercaptan		0.02	ISBT 14.0	na
nd	t-Butyl Mercaptan		0.02	ISBT 14.0	na
nd	n-Propyl Mercaptan		0.02	ISBT 14.0	na
nd	Methyl Ethyl Sulfide		0.02	ISBT 14.0	na
nd	sec-Butyl Mercaptan		0.02	ISBT 14.0	na
nd	i-Butyl Mercaptan		0.02	ISBT 14.0	na
nd	Diethyl Sulfide		0.02	ISBT 14.0	na
nd	n-Butyl Mercaptan		0.02	ISBT 14.0	na
nd	Dimethyl Disulfide		0.02	ISBT 14.0	na
nd	Diethyl Disulfide		0.02	ISBT 14.0	na
nd	Other Sulfurs		0.02	ISBT 14.0	na
nd	Total Sulfur Content	TSC as S	0.02	ISBT 13.0	0.10 ppm v/v max (excl. SO ₂)
	<u>Volatile Oxygenates (VOX. ppm v/v)</u>				
nd	Acetaldehyde	AA	0.05	ISBT 11.0	0.20 ppm v/v max
nd	Ethylene Oxide		0.1	ISBT 20.0	0.20 ppm v/v max
nd	Dimethyl Ether		0.1	ISBT 11.0	na
nd	Methyl Ethyl Ether		0.2	ISBT 11.0	na
nd	Methanol	MeOH	0.2	ISBT 9.0	10.0 ppm v/v max
nd	Propionaldehyde		0.2	ISBT 11.0	na
nd	Acetone		0.2	ISBT 11.0	na
2.1	Ethanol		0.2	ISBT 11.0	na
nd	Isopropanol		0.2	ISBT 11.0	na
nd	Ethyl Acetate		0.2	ISBT 11.0	na
nd	t-Butanol		0.2	ISBT 11.0	na
nd	n-Propanol		0.2	ISBT 11.0	na
nd	2-Butanol		0.2	ISBT 11.0	na
nd	Isobutanol		0.2	ISBT 11.0	na
nd	n-Butanol		0.2	ISBT 11.0	na
nd	Isoamyl Alcohol		0.2	ISBT 11.0	na
nd	Isoamyl Acetate		0.2	ISBT 11.0	na
	<u>Sensory Tests</u>				
PASS	Odor in Water		na	ISBT 16.0	No foreign odor
PASS	Taste in Water		na	ISBT 16.0	No foreign taste
PASS	Appearance in Water		na	ISBT 16.0	No color or turbidity

NOTES: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2019" – 3rd Revision, October 2019. Parameter results above ISBT Guideline Limits reported in **RED**.

DL = test detection limit. **nd** = less than the test detection limit. **na** = value is non-applicable. **sc** = see comments below.

-- = test not performed. **v/v** = volume analyte/volume sample. **w/w** = weight analyte/weight sample.

LT = less than amount specified. **GT** = greater than amount specified.

% = parts per hundred. **ppm** = parts per million. **ppb** = parts per billion.

Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1 µL/L (v/v) or 1 µg/g (w/w)

Comments:

Bruce J. Gollob
Bruce J. Gollob
CEO, Analytical Services

Attachments:



Atlantic Analytical Laboratory, LLC
Mailing address: PO Box 220 • Whitehouse, NJ 08888
Shipping address: 291 Rte 22 East • Salem Industrial Park Building #2 • Lebanon, NJ 08833
(908) 534-5600 • www.AtlanticAnalytical.com

